No.



8400120

TO ALL TO WHOM THESE; PRESENTS SHALL COME; Northrup King Co.

Colhereus, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLI-CANT(S) FOR THE TERM OF eighteen YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EX-CLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, R IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT RIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT (AT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'S23-03'

In Lestimony Buthercot, I have hereunto set my hand and caused the seal of the Blaut Variety Protection Office to be affixed at the City of Washington, D. C. this 28th day of November the year of our Lord one thousand nine hundred and eighty-six.

Variety Protection Office

· · · · · · · · · · · · · · · · · · ·				APPROVAL EXPIRES 4-30-85		
U.S. DEPARTMENT OF AGRICULTURAL MARKI	ETING SERV	/ICE		APPROVED: OMB NO. 0581-0055		
WAREHOUSE & SEE	DUVISION		Application is required in order to determine if a plant variety protection certificate is to			
APPLICATION FOR PLANT VARIETY	Y PROTE	CTION CERTIFICATE	be iss	ued (7 U.S.C. 2421). Information is		
(Instructions on		$(-\mathbf{k}, t) = (-\mathbf{k}, t) + (-\mathbf$		confidential until certificate is issued S.C. 2426).		
1. NAME OF APPLICANT(S)		2. TEMPORARY DESIGNATION	3. V	ARIETY NAME		
Northrup King Co.	-	735028		S23-03		
4. ADDRESS (Street and No. or R.F.D. No., City, State, an	d Zip Code)	5. PHONE (Include area code)		FOR OFFICIAL USE ONLY		
P. O. Box 959		612-781-8011	PVPC	NUMBER		
Minneapolis, MN 55440	1.1			8400120		
6. GENUS AND SPECIES NAME 7. F	AMILY NA	ME (Botanical)		DATE		
	* *		FILING	6/5/84		
Glycine max	Legumi	inoseae	₽	TIME		
				8:30 X A.M. P.M.		
8. KIND NAME	9.	DATE OF DETERMINATION		AMOUNT FOR FILING		
Soybeans		March,1983	<u> </u>	<u> s _ 1,800 </u>		
Doybound	· ·	March, 1963		DATE 6/5/84		
10. IF THE APPLICANT NAMED IS NOT A "PERSON," C	SIVE FORM	OF ORGANIZATION (Corporation	RECEIVED	AMOUNT FOR CERTIFICATE		
partnership, association, etc.)	JIVE FORW	OF CHGANIZATION (Corporation,		\$ 20000		
Corporation			FEES	DATE		
	t et .			October 20, 1986		
11. IF INCORPORATED, GIVE STATE OF INCORPORAT Delaware	TION		12. D	ATE OF INCORPORATION		
				1896		
13. NAME AND ADDRESS OF APPLICANT REPRESENT Robert W. Romig	ATIVE(S), II	F ANY, TO SERVE IN THIS APPLIC	ATION	I AND RECEIVE ALL PAPERS		
Northrup King Co.		en e				
P. O. Box 959				612-781-8011		
Minneapolis, MN 55440	tara en la	PHONE (Include are	a code)			
14. CHECK APPROPRIATE BOX FOR EACH ATTACHME	NT SUBMIT	TEO				
Exhibit A, Origin and Breeding History of the Vari	/C	P.13. 6.01		6.1 77 (0)		
a. Section 52 of the Plant Variety Protection Act.)	icty (See	c. Exhibit C, Objective De from Plant Variety Pro	escripti tection	on of the Variety (Request form Office.)		
· ·						
b. X Exhibit B, Novelty Statement		d. X Exhibit D, Additional I	Descrip	tion of the Variety		
15. DOES THE APPLICANT(S) SPECIFY THAT SEED OF	THIS VARIE	ETY RE SOLD BY VARIETY NAME	ONLY	AS A CLASS OF CERTIFIED		
SEED? (See Section 83(a) of the Plant Variety Protection	on Act.)	Yes (If "Yes," answer in		,		
16. DOES THE APPLICANT(S) SPECIFY THAT THIS VAN	RIETY BE	17. IF "YES" TO ITEM 16, W	HICH			
LIMITED AS TO NUMBER OF GENERATIONS?		BEYOND BREEDER SEE	D?			
Yes No		Foundation	Re	gistered Certified		
18. DID THE APPLICANT(S) FILE FOR PROTECTION OF	THE VARI	ETY IN THE U.S.?		Yes (If "Yes," give date)		
•						
				[X] No		
19. HAS THE VARIETY BEEN OFFERED FOR SALE OR	MARKETED	O IN THE U.S. OR OTHER COUNTR	IES?			
				Yes (If "Yes," give names		
				of countries and dates)		
				XX No		
The applicant(s) declare(s) that a viable sample of	basic seeds	of this variety will be furnished	with t	he application and will be re-		
plenished upon request in accordance with such re						
The undersigned applicant(s) is (are) the owner(s)	of this sexu	ally reproduced novel plant vari	ety, a	nd believe(s) that the variety is		
distinct, uniform, and stable as required in Section Variety Protection Act.	1 41, and 18	entitled to protection under the	provis	ions of Section 42 of the Flant		
Applicant(s) is (are) informed that false represents	ation herein	can jeopardize protection and r	esult i	n penalties.		
SIGNATURE OF APPLICANT		Joseph and protocolour and r		ATE		
N/n = 1			"	6/1/84		
/ Coler of Koma		and the second second		0/1/04		
SIGNATURE OF APPLICANT			DA	TE		
			1	. 1		

EXHIBIT A

Origin and Breeding History of the Variety

- 1974-76 The soybean research group at Washington, Iowa made the cross 'B216' x 'Hodgson' and advanced the population to F_6 . In October, 1976, we selected 100 random plants from this cross and threshed them individually.
- 1977 We grew each of the 100 plant selections in an F_7 progeny row. We chose one of these, numbered 735028, on the basis of agronomic appearance to be tested in a preliminary yield trial. This line was subsequently named S23-03.
- 1978-81 We tested S23-03 in replicated yield trials at several midwestern locations and found it to yield well compared to other early to mid Group II varieties. We determined that S23-03 has purple flowers, grey pubescence, brown nods, yellow seedcoats, and buff hila. We tested its tolerance to iron deficiency chlorosis in field trials and found it to be moderately resistant.

In 1981 we began purification and seed increase from 500 grams of carefully hand-rogued seed. We removed all plants not conforming to the variety description by roguing the increase block several times. Growth and maturity were uniform.

1982-83 - We continued to test S23-03 in Advanced Group II yield trials to confirm performance, early Group II maturity, iron chlorosis resistance, and descriptive characteristics.

We grew Breeder Seed of S23-03 from the small increase produced in 1981. The field was carefully rogued. We produced Foundation Seed of S23-03 in 1983. The Iowa Crop Improvement Association inspected the production fields and found them to meet the requirements for Foundation Seed. S23-03 was accepted as eligible for certification by the National Soybean Variety Review Board on December 8, 1983.

Variety S23-03 is stable and uniform. No variants have been observed in six years of yield testing and three years of seed increase.

Northrup King will maintain varietal purity by periodic use of progeny rows.

EXHIBIT B

Novelty Statement for the Variety

Variety S23-03 is most similar to S1492, B216, and Harcor. It has purple flower color while B216 and S1492 have white flowers. S23-03 has buff hilum color while Harcor has yellow hilum color.

EXHIBIT C (Soybean)

Page 1 of 4

av armo

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK, MEAT, GRAIN & SEED DIVISION PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARYLAND 20705

OBJECTIVE DESCRIPTION OF VARIETY

SO	YBEAN (Glycine max L.,	•	
NAME OF APPLICANT(S)	TEMPORARY DESIGNA	TION VARIETY NAME	
Northrup King Co.	Northrup King Co. 735028		
ADDRESS (Street and No., or R.F.D. No., City, State, and Z P. O. Box 959 Minneapolis, MN 55440 Attention: Robert Romig	ip Code)	PVPO NUMBER	0120
Choose the appropriate response which characterizes t in your answer is fewer than the number of boxes pro-	he variety in the features desc vided, place a zero in the first	cribed below. When the nur box when number is 9 or le	mber of significant digits ess (e.g., 0 9).
1. SEED SHAPE: 2 1 = Spherical (L/W, L/T, and T/W ratios = < 1.2) 3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)	W T 2 = Spherical Fig. 4 = Elongate Fig.	attened (L/W ratio > 1.2; L/T rattened (L/T ratio > 1.2; T/W	atio = 〈 1.2) > 1.2)
2. SEED COAT COLOR: (Mature Seed)			:.
1 = Yellow 2 = Green 3 = Brown	4 = Black 5 =	Other (Specify)	
3. SEED COAT LUSTER: (Mature Hand Shelled Seed) 2 1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny	('Nebsoy'; 'Gasoy 17')		
4. SEED SIZE: (Mature Seed)			
1 6 Grams per 100 seeds			
5. HILUM COLOR: (Mature Seed)			
1 1 = Buff 2 = Yellow 3 = Brown	4 = Gray 5 = 1mper	rfect Black 6 = Black	7 = Other (Specify)
6. COTYLEDON COLOR: (Mature Seed)			
1 = Yellow 2 = Green			÷
7. SEED PROTEIN PEROXIDASE ACTIVITY:			
1 = Low 2 = High			
8. SEED PROTEIN ELECTROPHORETIC BAND:			
1 = Type A (SP1 ^a) 2 = Type B (S	P1 ^b)		
9. HYPOCOTYL COLOR:			
1 = Green only ('Evans'; 'Davis') 2 = Green only ('Evans'; 'Davis') 3 = Light Purple below cotyledons ('Beeson'; 'Picket 4 = Dark Purple extending to unifoliate leaves ('Hoo		edons ('Woodworth'; 'Tracy')	
IO. LEAFLET SHAPE:		The second secon	
3 1 = Lanceolate 2 = Ovai 3 =	Ovate 4 = Other (Speci	'fy)	

FORM LMGS-470-57 (2-82)

11. LEAFLET SIZE:		And the second of the second o
1 = Small ('Amsoy 71'; 'A5312') 3 = Large ('Crawford'; 'Tracy')	2 = Medium ('Corsoy 79'; 'Gasoy 17')	
12. LEAF COLOR:		
1 = Light Green ('Weber'; 'York') 3 = Dark Green ('Gnome'; 'Tracy')	2 = Medium Green ('Corsoy 79'; 'Braxton')	t week
13. FLOWER COLOR:		
2 1 = White 2 = Purple	3 = White with purple throat	
14. POD COLOR:		
2 1 = Tan 2 = Brown	3 = Black	
15. PLANT PUBESCENCE COLOR:		
1 = Gray 2 = Brown (Tawny)		
16. PLANT TYPES:		
1 = Slender ('Essex'; 'Amsoy 71') 3 = Bushy ('Gnome'; 'Govan')	2 = Intermediate ('Amcor'; 'Braxton')	
17. PLANT HABIT:		
1 = Determinate ('Gnome'; 'Braxton') 3 = Indeterminate ('Nebsoy'; 'Improved Pel	2 = Semi-Determinate ('Will') lican')	
	•	
18. MATURITY GROUP:		
	4 = I 5 = II 6 = III 7 = IV I 12 = IX 13 = X	8 = V
18. MATURITY GROUP: 5 1 = 000 2 = 00 3 = 0	1 12 = IX 13 = X	8 = V
18. MATURITY GROUP: 1 = 000	1 12 = IX 13 = X	8 = V
18. MATURITY GROUP: 5 1 = 000 2 = 00 3 = 0 9 = VI 10 = VII 11 = VIII 19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = S BACTERIAL DISEASES:	I 12 = IX 13 = X Susceptible; 2 = Resistant)	8 = V
18. MATURITY GROUP: 1 = 000	I 12 = IX 13 = X Susceptible; 2 = Resistant)	8 = V
18. MATURITY GROUP: 5 1 = 000 2 = 00 3 = 0 9 = VI 10 = VII 11 = VIII 19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = S BACTERIAL DISEASES:	I 12 = IX 13 = X Susceptible; 2 = Resistant)	8 = V
18. MATURITY GROUP: 1 = 000	I 12 = IX 13 = X Susceptible; 2 = Resistant)	8 = V
18. MATURITY GROUP: 1 = 000	I 12 = IX 13 = X Susceptible; 2 = Resistant)	8 = V
18. MATURITY GROUP: 1 = 000	I 12 = IX 13 = X Susceptible; 2 = Resistant)	8 = V
18. MATURITY GROUP: 1 = 000	I 12 = IX 13 = X Susceptible; 2 = Resistant)	8 = V
18. MATURITY GROUP: 1 = 000	Susceptible; 2 = Resistant) ar. sojensis)	8 = V ther (Specify)
18. MATURITY GROUP: 1 = 000	Susceptible; 2 = Resistant) ar. sojensis)	
18. MATURITY GROUP: 1 = 000	Susceptible; 2 = Resistant) ar. sojensis) ace 3 Race 4 Race 5	
18. MATURITY GROUP: 1 = 000	Susceptible; 2 = Resistant) ar. sojensis) ace 3 Race 4 Race 5	
18. MATURITY GROUP: 1 = 000	Susceptible; 2 = Resistant) ar. sojensis) ace 3 Race 4 Race 5 Or	

19. DISEASE REACTION	ON: (Enter 0 = Not Tested; 1 = Susceptible; 2 =	Resistant) (Continued)		2 4
FUNGAL DISEA	SES: (Continued)			e e e e e e e e e e e e e e e e e e e
1 Pod and St	em Blight <i>(Diaporthe phaseolorum</i> var; sojae)			
1 Purple Seed	d Stain (Cercospora kikuchii)	·		
1 Rhizoctoni	a Root Rot (Rhizoctonia solani)	·		
Phytophtho	ora Rot (Phytophthora megasperma var. sojae)			
1 Race 1	1 Race 2 1 Race 3 1	Race 4 1 Race 5	1 Race 6 1 Ra	ace 7
1 Race 8	1 Race 9 Other (Specify)			
VIRAL DISEASES	S:			·
1 Bud Blight	(Tobacco Ringspot Virus)			
Yellow Mos	aic (Bean Yellow Mosaic Virus)			
Cowpea Mo	saic (Cowpea Chlorotic Virus)			
	(Bean Pod Mottle Virus)			
	(Soybean Mosaic Virus)			
NEMATODE DISE				•
	•••			
1 Race 1	st Nematode (Heterodera glycines) 1 Race 2 1 Race 3 1			
	Tode (Hopiolaimus Colombus)	Race 4 Other (Specity)	
	ot Knot Nematode (Meloidogyne incognita)			
				•
	ot Knot Nematode (Meloidogyne Hapla)	•	•	
<u> </u>	Knot Nematode (Meloidogyne arenaria)			
<u></u>	matode (Rotylenchulus reniformis)			
OTHER DISI	EASE NOT ON FORM (Specify):			
O. PHYSIOLOGICAL RE	SPONSES: (Enter 0 = Not Tested; 1 = Susception	tible: 2 = Decisions)		
	s on Calcareous Soil	nois, 2 - Resistant/		
[]	y)			
	(Enter 0 = Not Tested; 1 = Susceptible; 2 = Re	sistant)		
	Beetle (Epilachna varivestis)			
	opper (Empoasca fabae)			•
Other (Specify	//		· · · · · · · · · · · · · · · · · · ·	
2. INDICATE WHICH VA	RIETY MOST CLOSELY RESEMBLES THAT	SUBMITTED.		
CHARACTER	NAME OF VARIETY	CHARACTER	NAME OF VARIETY	(.
Plant Shape	S1492	Seed Coat Luster	Beeson	
Leaf Shape	Hodgson	Seed Size	Corsoy	
Leaf Color Leaf Size	Wells	Seed Shape	S1492	
Leat OI28	Hodgson	Seedling Pigmentation	Harcor	
		l		/

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY NO. OF DAYS MATURITY	I I	CM PLANT	LCAFLETSIZE		SEED CONTENT		SEED SIZE G/100	NO. SEEDS/	
	MATURITY	URITY SCORE	HEIGHT	CM Width	CM Length	% Protein	% Oil	SEEDS	POD
Submitted	123	2.5	84	3.5	9.4	39.0	21.0	15.5	2-3
Harcor Name of Similar Variety	124	3.6	94	4.0	8.7	37.8	21.1	13.9	2-3

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris, 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.

EXHIBIT D

Additional Description of the Variety

Soybean variety S23-03 is classified as early to mid Maturity Group II, maturing about one day earlier than B216, S1492, and Harcor. It has field resistance or tolerance to Phytophthora root rot and to iron deficiency chlorosis. Hypocotyl elongation at 25° C is less than 10 centimeters.